

CH-42T

Ref: LDACH42TS03

The CH-42 is a ceiling speaker with high sensitivity. The enclosure and the grille are both made of metal. It provides an easy installation with a 4 contacts Euroblock connector. It is possible to configure it with several power configurations thanks to the transformer for 70/100V PA lines incorporated in.

The installation is very quick and it is made by metal clamps, which allow to install the speaker into metallic sheet tile or plaster ceilings.




Features CH-42T:

- High performance: 92 dB (1W, 1m)
- Excellent quality of music and voice playback.
- Metallic grille acoustically transparent
- Power and line-voltage selector: 70 V / 100V / 8 Ohms
- Fire protection
- Fire dome
- Easy to install
- Low lost transformer for 70/100V PA lines.


Technical Specifications:

Model	CH-42T
Reference	LDACH42TS03
Nominal power	6 W RMS
Frequency response	100Hz- 18 kHz +/- 5dB
Sensitivity	92 dB +/- 3 dB (1W, 1m)
Material	Iron (cover and grille)
Colour	White, RAL 9016
IP protection grade	IP21
Connector	Euroblock type
Fixing	Installation by metallic clamps for metallic sheet tile and plaster ceilings.
Transformer (70/100V)	6W or 3 W @ 100V 3W or 1,5 W @ 70V
Dimensions (diameter x depth)	200 x 90 mm
Drill hole for mounting	185mm
Weight	1,65 kg


Frequency response:



Dispersion. Polar diagram (1 KHz):



Impedance (3W):



Impedance (6W):

